

Soca v.1 add-on – Adding social impact information to ecoinvent

Description of methodology to map social impact information from PSILCA v.1 to ecoinvent v. 3.3

January 2017

Franziska Eisfeldt, eisfeldt@greendelta.com



Content

1 Background and motivation5

2 Methodology5

2.1 Data mapping.....5

2.2 Activity variable7

2.3 Data quality.....8

2.4 Impact Assessment10

3 Results12

4 Discussion15

5 References17

List of figures

Figure 1: Selected outputs of a sample process with working hours	7
Figure 2: Outputs of a sample process with working time defined by a parameter.....	8
Figure 3: Global parameter for the working time related kg	8
Figure 4: Pedigree matrix for data quality assessment	9
Figure 5: Social aspects of a selected process.....	10
Figure 6: Selected impact categories of the "Social Impacts Weighting Method"	11
Figure 7: Flows and impact factors belonging to impact category "Fatal accidents"	11
Figure 8: Flows and impact factors belonging to impact category "Fair Salary"	12
Figure 9: Pie chart of direct process contributions to impact category results (for Fatal accidents) .	13
Figure 10: Contribution tree (for Child Labour, total)	13
Figure 11: Impact analysis (for Fair Salary)	14
Figure 12: Heat map showing social hotspots (for Child Labour, total).....	15

List of tables

Table 1: Impact factors for most impact categories 12

1 Background and motivation

Ecoinvent is the most famous LCA database worldwide developed by the ecoinvent centre in Zurich, Switzerland. Traditionally, it provides international industrial life cycle inventory data on energy supply, resource extraction, material supply, chemicals, metals, agriculture, waste management services, and transport services. Each data set is provided as unit process and aggregated system process.

In 2016, the ecoinvent centre launched ecoinvent v.3.3 containing important updates and additions, among others prices for all products (except for waste materials and their disposal). So, in order to carry out an entire sustainability assessment including environmental, economic and social impacts, only the last part is missing. Therefore, it is the aim of this update to add social information to ecoinvent v.3.3 to combine Social and Environmental Life Cycle Assessment (S-LCA, E-LCA) and Life Cycle Costing (LCC) in one single database.

2 Methodology

To add social aspects to ecoinvent the PSILCA database is taken as basis. PSILCA is a transparent database for Social LCA which provides comprehensive generic inventory information to calculate and assess social impacts of products over their life cycles. The current, first version of PSILCA covers 53 indicators for almost 15,000 industry sectors and commodities in 189 countries. More than 30 additional indicators will be added in the next version¹.

These social aspects and effects are basically assigned to every activity/ process in ecoinvent v.3.3 of all system models (APOS, cut-off, consequential). An exception are market processes and activities used for database administration and modelling. For these processes, no social risks were assumed because, in practice, they are not connected to any real working time and, hence, do not contribute effectively to a product life cycle. So, double counting of social impacts – that actually occur in related production and transport activities – is avoided.

The exact procedure and methodology is explained in the following. At the moment, soca is available for openLCA.

2.1 Data mapping

In order to assign social data from PSILCA to ecoinvent, the *categories* of ecoinvent processes (for specific countries and regions) were mapped with the country-specific sectors² (CSS) of PSILCA. As a result, all processes and products within a country or region belonging to the same category receive the same social information.

Since the regional structure in PSILCA differs from the one in ecoinvent, different mapping cases arise. The following steps and rules were applied to map the data:

a) Locations of ecoinvent process and PSILCA sector are identical


1. If a process category for a specific country in ecoinvent corresponds to a CSS in PSILCA, social information is mapped directly, without any modification.

¹ For further information about PSILCA, its structure and methodology please visit www.psilca.net.

² A country-specific sector is the unique combination of a country and an industry or commodity.



2. If there is no corresponding CSS in PSILCA for a process' category-country-combination in ecoinvent, social information is interpolated or extrapolated from a more general or detailed sector, without additional modification.



b) Location of ecoinvent process is a sub-region:

3. If the location of an ecoinvent process is a sub-region (such as *China, Shandong (山东)*, or *Canada, Ontario*), it is mapped to matching sectors of the respective country in PSILCA (i.e. China, Canada). The sector mapping is identical to the approach described in a).



c) Location of process is a trans-national region

4. In case the location of a process is a macro- or trans-national region (e.g. *All producing Area; Asia, without China and GCC*; or *Europe*), in a first step, corresponding countries of PSILCA are assigned to these regions. Then, all the mapped countries are combined with the respective category of the region and these combinations are mapped with the best matching PSILCA CSS. Finally, a non-weighted average is calculated across all the mapped CSS from PSILCA and assigned to the ecoinvent category.
5. For activities with *global* locations, all PSILCA countries are combined with the belonging categories and mapped to the PSILCA CSS. After that, a non-weighted average is calculated across all the mapped CSS from PSILCA and applied to the ecoinvent processes. This approach implicates that the social information for *global* processes can encompass a broader range of country data than the industrial information in ecoinvent because PSILCA includes more countries. However, this method was selected to stick to the overall PSILCA approach.
6. *Rest-of-World (ROW)* is understood – as in ecoinvent – as *Global* except the locations that already have individual values for the same product or category. Hence, categories with the location *ROW* are assigned to all PSILCA countries except those that already exist as individual country-category-combinations. The remaining combinations are then mapped with the best matching CSS of PSILCA and the average is calculated.

This approach differs a bit from the ecoinvent approach as well, but it was selected to ensure consistency among the social information.

After country and sector mapping, all indicator values are risk-assessed. The **risk evaluation** of the raw indicator values (including averages) is based on the same schemes and ranges as used in PSILCA.

2.2 Activity variable

In order to describe the relevance of the social impacts caused by a process in a life cycle, so-called activity variables are necessary (Norris 2006). The activity variable is the measure of a process activity which can be related to process output (see UNEP/SETAC 2009, p. 98). As in PSILCA, worker hours are selected for all indicators. This variable determines the working time (in man-hours) required to produce the reference product.

To calculate the working time for each process in ecoinvent, first of all, the values for working hours per USD output from PSILCA are mapped to the corresponding ecoinvent processes. Mapping procedure is equivalent to the method described in chapter 2.1. Processes with transnational or global locations receive an average over all working times of the mapped CSS.

In a second step, these assigned values are multiplied with the cost for the reference product provided in ecoinvent. It has to be taken into account that these costs are independent of the country and of the specific technology, i.e. global average values were taken. This, of course, distorts the values of working time.

For some ecoinvent processes – mainly waste material and their disposal – no costs are specified. For these processes parameters for working hours were defined which can be changed individually by the user. These parameters are determined per unit of the processes because it is assumed that a broadly similar working time is required to produce the same amount (e.g. 1 kg or 1 km) of different products. Since waste material and disposals (for which the parameters are relevant) should not require long working hours in general, the parameters are calculated as the quintiles (=quantile $Q_{0.2}$) of the set of worker hour values of all products with the same unit.

Figure 1 shows a process with some social effects measured by its specific working time.

▼ Outputs				
Flow	Category	Amount	Unit	Costs/Revenues
F ₀ barley grain, feed, organic	011:Growing of non-perennial crops/0111:Growing of cereals (ex...	1.00000	kg	0.15900 EUR
F ₀ Water	Emission to air/unspecified	0.05040	kg	
F ₀ Rate of fatal accidents at workplace; low risk	Workers/Health and Safety (Workers)	0.00185	h	
F ₀ Presence of indigenous population; no risk	Local Community/Respect of indigenous rights	0.00185	h	
F ₀ Human rights issues faced by indigenous people; not applicable	Local Community/Respect of indigenous rights	0.00185	h	
F ₀ Minimum wage, per month; very high risk	Workers/Fair Salary	0.00185	h	
F ₀ Living wage, per month; high risk	Workers/Fair Salary	0.00185	h	
F ₀ Sector average wage, per month; very low risk	Workers/Fair Salary	0.00185	h	
F ₀ Children in employment, total; no risk	Workers/Child labour	0.00185	h	
F ₀ Children in employment, male; no risk	Workers/Child labour	0.00185	h	
F ₀ Children in employment, female; no risk	Workers/Child labour	0.00185	h	
F ₀ Goods produced by forced labour; no data	Workers/Forced Labour	0.00185	h	
F ₀ Frequency of forced labour; very low risk	Workers/Forced Labour	0.00185	h	
F ₀ Weekly hours of work per employee; medium risk	Workers/Working time	0.00185	h	
F ₀ Gender wage gap; high risk	Workers/Discrimination	0.00185	h	
F ₀ Rate of non-fatal accidents at workplace; very high risk	Workers/Health and Safety (Workers)	0.00185	h	
F ₀ DALYs due to indoor and outdoor air and water pollution; very low risk	Workers/Health and Safety (Workers)	0.00185	h	
F ₀ Presence of sufficient safety measures; very low risk	Workers/Health and Safety (Workers)	0.00185	h	
F ₀ Workers affected by natural disasters; very low risk	Workers/Health and Safety (Workers)	0.00185	h	
F ₀ Social security expenditures; medium risk	Workers/Social benefits, legal issues	0.00185	h	
F ₀ Evidence of violations of laws and employment regulations; high risk	Workers/Social benefits, legal issues	0.00185	h	
F ₀ Certified environmental management systems; medium risk	Local Community/Access to material resources	0.00185	h	
F ₀ Pollution level of the country; low risk	Local Community/Safe and healthy living conditions	0.00185	h	

Figure 1: Selected outputs of a sample process with working hours

Figure 2 shows a process with the working time determined by a parameter which in turn is defined as shown in Figure 3

Outputs			
Flow	Category	Amount	Unit
Active involvement of enterprises in corruption and bribery; medium risk	Value Chain Actors/Corruption	1*WH_kg	h
Certified environmental management systems; high risk	Local Community/Access to material resources	1*WH_kg	h
Children in employment, female; no risk	Workers/Child labour	1*WH_kg	h
Children in employment, male; no risk	Workers/Child labour	1*WH_kg	h
Children in employment, total; no risk	Workers/Child labour	1*WH_kg	h
DALYs due to indoor and outdoor air and water pollution; very low risk	Workers/Health and Safety (Workers)	1*WH_kg	h
Drinking water coverage; very low risk	Local Community/Safe and healthy living conditions	1*WH_kg	h
Evidence of violations of laws and employment regulations; medium risk	Workers/Social benefits, legal issues	1*WH_kg	h
Extraction of biomass (related to area); medium risk	Local Community/Access to material resources	1*WH_kg	h
Extraction of biomass (related to population); low risk	Local Community/Access to material resources	1*WH_kg	h
Extraction of fossil fuels; no data	Local Community/Access to material resources	1*WH_kg	h
Extraction of industrial and construction minerals; medium risk	Local Community/Access to material resources	1*WH_kg	h
Extraction of ores; no data	Local Community/Access to material resources	1*WH_kg	h
Frequency of forced labour; very low risk	Workers/Forced Labour	1*WH_kg	h
Gender wage gap; high risk	Workers/Discrimination	1*WH_kg	h
Goods produced by forced labour; no data	Workers/Forced Labour	1*WH_kg	h
hard coal ash	239:Manufacture of non-metallic mineral products n.e...	-1.00000	kg
Health expenditure, external resources; very low risk	Society/Health and Safety (Society)	1*WH_kg	h
Health expenditure, out-of-pocket; medium risk	Society/Health and Safety (Society)	1*WH_kg	h
Health expenditure, public; low risk	Society/Health and Safety (Society)	1*WH_kg	h

Figure 2: Outputs of a sample process with working time defined by a parameter

Parameter: WH_kg

General information

Name

WH_kg

Description

This parameter is calculated as the quintile (=quantile Q0.2) of the set of worker hour values of all products with the unit kg.

Version

00.00.000

UUID

4bad5373-be52-40fd-9913-1fe75cb1ab5f

Last change

Additional information

Type

Input parameter

Value

0.002579

Uncertainty

none

Figure 3: Global parameter for the working time related kg

2.3 Data quality

The social aspects in soca also include the evaluation of data quality. Again, the same approach as used in PSILCA is followed where data quality is assessed by a pedigree matrix consisting of five quality indicators measured by 5 scores (see Figure 4).

Score	1	2	3	4	5
Indicator					
Reliability of the source(s)	Statistical study, or verified data from primary data collection from several sources	Verified data from primary data collection from one single source or non-verified data from primary sources, or data from recognized secondary sources	Non-verified data partly based on assumptions or data from non-recognized sources	Qualified estimate (e.g. by expert)	Non-qualified estimate or unknown origin
Completeness conformance	Complete data for country-specific sector/ country	Representative selection of country-specific sector / country	Non-representative selection, low bias	Non-representative selection, unknown bias	Single data point / completeness unknown
Temporal conformance	Less than 1 year of difference to the time period of the dataset	Less than 2 years of difference to the time period of the dataset	Less than 3 years of difference to the time period of the dataset	Less than 5 years of difference to the time period of the dataset	Age of data unknown or data with more than 5 years of difference to the time period of the dataset
Geographical conformance	Data from same geography (country)	Country with similar conditions or average of countries with slightly different conditions	Average of countries with different conditions, geography under study included, with large share, or country with slightly different conditions	Average of countries with different conditions, geography under study included, with small share, or not included	Data from unknown or distinctly different regions
Further technical conformance	Data from same technology (sector)	Data from similar sector, e.g. within the same sector hierarchy, or average of sectors with similar technology	Data from slightly different sector, or average of different sectors, sector under study included, with large share	Average of different sectors, sector under study included, with small share, or not included	Data with unknown technology / sector or from distinctly different sector

Figure 4: Pedigree matrix for data quality assessment

The values for *Reliability of sources*, *Temporal* and *Completeness conformance* were simply taken over from the original data in PSILCA. Regarding the assessment of *Geographical* and *Technical conformance* of the datasets, the specific mapping and attribution procedures between PSILCA and ecoinvent were taken into consideration. These were compared to the original values of data quality, and the worse score respectively was selected. For example, if geographical conformance for a data point in PSILCA is 1, but an average value over countries is used for the ecoinvent process (hence data quality assessment of 3) then the worse score 3 is selected for geographical conformance of that dataset.

Data quality assessment, indicator raw values, risk levels, comments and the source are documented in the social aspects tab of every process (see Figure 5).

Social assessment						
Name	Raw value	Risk level	Activity variable	Data quality	Comment	Source
Workers						
Health and Safety (Workers)						
Rate of fatal accidents at workplace	10 [# /yr and 100k empl.]	Low risk	0.990012961 [h, Working hours]	(2;3;4;1;2)		ILOstat 2014: Non-fatal accidents
Rate of non-fatal accidents at workplace	5694 [# /yr and 100k empl.]	Very high risk	0.990012961 [h, Working hours]	(2;3;4;1;2)		ILOstat 2014: Fatal accidents
DALYs due to indoor and outdoor air and water pollution	1 [DALY rate]	Very low risk	0.990012961 [h, Working hours]	(2;1;5;1;4)		WHO 2009: DALYs
Presence of sufficient safety measures	24 [# per 100k empl.]	Very low risk	0.990012961 [h, Working hours]	(2;4;1;2;2)		USDOL 2013: OSHA violations
Workers affected by natural disasters	0 [%]	Very low risk	0.990012961 [h, Working hours]	(2;1;2;1;4)		EM-DAT 2015: Natural disasters
Fair Salary						
Minimum wage, per month	0 [USD]	Very high risk	0.990012961 [h, Working hours]	(2;1;4;1;2)		Quandl 2010: Minimum wage
Living wage, per month	785 [USD]	High risk	0.990012961 [h, Working hours]	(2;2;3;2;2)	Mean over different ...	WageIndicator 2014: Living wage
Sector average wage, per month	7491 [USD]	Very low risk	0.990012961 [h, Working hours]	(2;3;4;1;3)	Ratio referring to me...	ILOstat 2014
Child labour						
Children in employment, total	0 [% of children]	No risk	0.990012961 [h, Working hours]	(4;1;1;1;4)	Data from 2014	World Bank 2014: Child labour, total
Children in employment, male	0 [% of male children]	No risk	0.990012961 [h, Working hours]	(4;2;1;1;2)		Eisfeldt, F. 2015: Child labour
Children in employment, female	0 [% of female children]	No risk	0.990012961 [h, Working hours]	(4;2;1;1;2)		Eisfeldt, F. 2015: Child labour
Forced Labour						
Goods produced by forced labour		No data	0.990012961 [h, Working hours]			
Frequency of forced labour	2 [%]	Very low risk	0.990012961 [h, Working hours]	(2;4;3;3;2)		ILO 2012: Forced Labour
Trafficking in persons	1 [Tier]	Very low risk	0.990012961 [h, Working hours]	(2;1;1;1;4)		U.S. Department of State 2014: Trafficking
Working time						
Weekly hours of work per employee	36 [h]	Medium risk	0.990012961 [h, Working hours]	(2;5;2;1;4)		ILOstat 2014
Discrimination						
Gender wage gap	20 [%]	High risk	0.990012961 [h, Working hours]	(3;1;5;1;4)	Mean value of sector...	ILOstat 2014
Social benefits, legal issues						
Social security expenditures	13 [% of GDP]	Medium risk	0.990012961 [h, Working hours]	(2;1;5;1;4)	Mean value over avai...	ILO 2015: Social Security
Evidence of violations of laws and employment regulation:	18 [# per 1k empl.]	High risk	0.990012961 [h, Working hours]	(2;1;1;5;2)		USDOL 2015: Violations of employment
Freedom of association and collective bargaining						
Trade union density	20 [%]	Very high risk	0.990012961 [h, Working hours]	(2;3;3;1;4)		ILOstat 2014: Trade union membership
Right of Association		No data	0.990012961 [h, Working hours]			

Figure 5: Social aspects of a selected process

2.4 Impact Assessment

For calculating social impacts for a specific product system, the same impact assessment method as in PSILCA is provided. Since social impact assessment is still investigated, and no generally accepted method has been developed so far, the so-called “Social Impacts Weighting Method” is rather rudimentary with typically impact categories corresponding to one indicator. Only proxy indicators, e.g. “Living wage, per month”, are combined with other indicators into one impact category (see Figure 6 and Figure 7).

Impact categories		
Name	Description	Reference unit
Anti-competitive behaviour or violation of anti-trust and monopoly legislation		AC med risk hours
Association and bargaining rights		ACB med risk hours
Biomass consumption		BM med risk hours
Certified environmental management system		CMS med risk hours
Child Labour, female		CL med risk hours
Child Labour, male		CL med risk hours
Child Labour, total		CL med risk hours
Corruption		C med risk hours
DALYs due to indoor and outdoor air and water pollution		DALY med risk hours
Drinking water coverage		DW med risk hours
Education		E med risk hours
Fair Salary		FS med risk hours
Fatal accidents		FA med risk hours
Fossil fuel consumption		FF med risk hours
Frequency of forced labour		FL med risk hours
Gender wage gap		GW med risk hours
Goods produced by forced labour		GFL med risk hours
Health expenditure		HE med risk hours
Illiteracy		I med risk hours
Indigenous rights		IR med risk hours
Industrial water depletion		WU med risk hours
International migrant stock		IMS med risk hours
International migrant workers (in the sector/ site)		IMW med risk hours
Minerals consumption		MC med risk hours
Net migration		NM med risk hours

Figure 6: Selected impact categories of the "Social Impacts Weighting Method"

Impact factors						
Impact category		Fatal accidents				
Flow	Category	Flow property	Unit	Factor	Uncertainty	
Rate of fatal accidents at workplace; high risk	Workers/Health and Sa...	Duration	FA med risk hours/h	10.0	none	
Rate of fatal accidents at workplace; low risk	Workers/Health and Sa...	Duration	FA med risk hours/h	0.1	none	
Rate of fatal accidents at workplace; medium risk	Workers/Health and Sa...	Duration	FA med risk hours/h	1.0	none	
Rate of fatal accidents at workplace; no data	Workers/Health and Sa...	Duration	FA med risk hours/h	0.1	none	
Rate of fatal accidents at workplace; very high risk	Workers/Health and Sa...	Duration	FA med risk hours/h	100.0	none	
Rate of fatal accidents at workplace; very low risk	Workers/Health and Sa...	Duration	FA med risk hours/h	0.01	none	

Figure 7: Flows and impact factors belonging to impact category "Fatal accidents"

The reference unit of each impact category is medium risk hours. So, impact factors are scaled to medium risk of an indicator. Typically, the impact factors listed in Table 1 are applied.

Table 1: Impact factors for most impact categories

Risk level	Factor
Very low risk	0.01
Low risk	0.1
Medium risk	1
High risk	10
Very high risk	100
No risk	0
No data	0.1

Only for a small number of indicators impact factors differ from this scheme in order to weight them in comparison to other indicators within the same category (see Figure 8)Figure 7: Flows and impact factors belonging to impact category "Fatal accidents".

Impact factors				
Impact category Fair Salary				
Flow	Category	Flow property	Unit	Factor
Living wage, per month; high risk	Workers/Fair Salary	Duration	FS med risk hours/h	5.0
Living wage, per month; low risk	Workers/Fair Salary	Duration	FS med risk hours/h	0.05
Living wage, per month; medium risk	Workers/Fair Salary	Duration	FS med risk hours/h	0.5
Living wage, per month; very high risk	Workers/Fair Salary	Duration	FS med risk hours/h	50.0
Living wage, per month; very low risk	Workers/Fair Salary	Duration	FS med risk hours/h	0.005
Minimum wage, per month; high risk	Workers/Fair Salary	Duration	FS med risk hours/h	5.0
Minimum wage, per month; low risk	Workers/Fair Salary	Duration	FS med risk hours/h	0.05
Minimum wage, per month; medium risk	Workers/Fair Salary	Duration	FS med risk hours/h	0.5
Minimum wage, per month; no data	Workers/Fair Salary	Duration	FS med risk hours/h	0.05
Minimum wage, per month; very high risk	Workers/Fair Salary	Duration	FS med risk hours/h	50.0
Minimum wage, per month; very low risk	Workers/Fair Salary	Duration	FS med risk hours/h	0.005
Sector average wage, per month; high risk	Workers/Fair Salary	Duration	FS med risk hours/h	10.0
Sector average wage, per month; low risk	Workers/Fair Salary	Duration	FS med risk hours/h	0.1
Sector average wage, per month; medium risk	Workers/Fair Salary	Duration	FS med risk hours/h	1.0
Sector average wage, per month; very high risk	Workers/Fair Salary	Duration	FS med risk hours/h	100.0
Sector average wage, per month; very low risk	Workers/Fair Salary	Duration	FS med risk hours/h	0.01

Figure 8: Flows and impact factors belonging to impact category "Fair Salary"

3 Results

With the current version of openLCA (1.5), results can still be provided only separately for social

impacts (not in combination with environmental impacts). They are displayed and visualized in form of charts and tables. The following figures show a selection of different forms of result presentation.




Figure 9: Pie chart of direct process contributions to impact category results (for Fatal accidents)




Figure 10: Contribution tree (for Child Labour, total)

Impact analysis

Impact category: Fair Salary Cut-off: 0

Process/Flow name	Location	Flow category	Invent...	Unit	Impact factor	Unit	Impact result	Unit
spinning, bast fibre spinning, bast fibre cut-off, U	India						2.88081	FS med risk hours
Minimum wage, per month; very high risk		Workers/Fair Salary	0.05648	h	50.00000	FS med risk hours/h	2.82405	FS med risk hours
Sector average wage, per month; medium risk		Workers/Fair Salary	0.05648	h	1.00000	FS med risk hours/h	0.05648	FS med risk hours
Living wage, per month; very low risk		Workers/Fair Salary	0.05648	h	0.00500	FS med risk hours/h	0.00028	FS med risk hours
electricity production, hard coal electricity, high voltage cut-off, U	India						1.38552	FS med risk hours
electricity production, lignite electricity, high voltage cut-off, U	India						0.34104	FS med risk hours
electricity production, hydro, reservoir, alpine region electricity, high voltage cut-off, U	India						0.26344	FS med risk hours
electricity production, natural gas, combined cycle power plant electricity, high voltage cut-off, U	India						0.17470	FS med risk hours
heat and power co-generation, wood chips, 6667 kW electricity, high voltage cut-off, U	India						0.07847	FS med risk hours
hard coal mine operation hard coal cut-off, U	Rest-of-World						0.07121	FS med risk hours
Minimum wage, per month; very high risk		Workers/Fair Salary	0.00141	h	50.00000	FS med risk hours/h	0.07049	FS med risk hours
Living wage, per month; medium risk		Workers/Fair Salary	0.00141	h	0.50000	FS med risk hours/h	0.00070	FS med risk hours
Sector average wage, per month; very low risk		Workers/Fair Salary	0.00141	h	0.01000	FS med risk hours/h	1.40988E-5	FS med risk hours
electricity production, nuclear, pressure water reactor, heavy water moderated electricity, high voltage cut-off, U	India						0.06990	FS med risk hours
transmission network construction, electricity, high voltage transmission network, electricity, high voltage cut-off, U	Rest-of-World						0.05633	FS med risk hours
electricity production, oil electricity, high voltage cut-off, U	India						0.05130	FS med risk hours
electricity production, natural gas, conventional power plant electricity, high voltage cut-off, U	India						0.03737	FS med risk hours
electricity production, hydro, run-of-river electricity, high voltage cut-off, U	India						0.03592	FS med risk hours
electricity production, onshore electricity, high voltage cut-off, U	India						0.03582	FS med risk hours
electricity production, wind, <1MW turbine, onshore electricity, high voltage cut-off, U	India						0.02002	FS med risk hours
transmission network construction, electricity, high voltage transmission network, electricity, high voltage cut-off, U	Switzerland						0.01962	FS med risk hours
treatment of spoil from lignite mining, in surface landfill spoil from lignite mining cut-off, U	Global						0.01399	FS med risk hours
electricity production, wind, >3MW turbine, onshore electricity, high voltage cut-off, U	India						0.01214	FS med risk hours
packaging box factory construction packaging box factory cut-off, U	Rest-of-World						0.01108	FS med risk hours
Minimum wage, per month; high risk		Workers/Fair Salary	0.00201	h	5.00000	FS med risk hours/h	0.01006	FS med risk hours
Living wage, per month; medium risk		Workers/Fair Salary	0.00201	h	0.50000	FS med risk hours/h	0.00101	FS med risk hours
Sector average wage, per month; very low risk		Workers/Fair Salary	0.00201	h	0.01000	FS med risk hours/h	2.01148E-5	FS med risk hours
treatment of spoil from hard coal mining, in surface landfill spoil from hard coal mining cut-off, U	Global						0.01079	FS med risk hours
transport, freight train, electricity transport, freight train cut-off, U	Rest-of-World						0.00962	FS med risk hours
natural gas production natural gas, high pressure cut-off, U	Rest-of-World						0.00959	FS med risk hours
natural gas production natural gas, high pressure cut-off, U	Russian Federation						0.00758	FS med risk hours
mine construction, underground, hard coal mine infrastructure, underground, hard coal cut-off, U	Rest-of-World						0.00686	FS med risk hours
petroleum and gas production, on-shore petroleum cut-off, U	Rest-of-World						0.00663	FS med risk hours
market group for electricity, medium voltage electricity, medium voltage cut-off, U	Asia						0.00563	FS med risk hours
lignite power plant construction lignite power plant cut-off, U	Rest-of-World						0.00523	FS med risk hours
electricity production, nuclear, boiling water reactor electricity, high voltage cut-off, U	India						0.00513	FS med risk hours
electricity production, hydro, reservoir, alpine region electricity, high voltage cut-off, U	Rest-of-World						0.00492	FS med risk hours
hard coal mine operation hard coal cut-off, U	China						0.00396	FS med risk hours
heat and power co-generation, biogas, gas engine electricity, high voltage cut-off, U	India						0.00374	FS med risk hours

Figure 11: Impact analysis (for Fair Salary)




Figure 12: Heat map showing social hotspots (for Child Labour, total)

4 Discussion

Complemented by the inventory data on environmental impacts and the prices for all products, ecoinvent – soca is the first database that combines E-LCA, S-LCA and LCC. Therefore, it is possible to carry out full Life Cycle Sustainability Assessments for a product system using only one database.

However, the applied method still holds inaccuracies and possible result distortions. For example, due to the mapping procedure described in chapter 2.1 all activities and products within a country or region belonging to the same category receive the same social information. This should be refined in future versions. Further, the fact that the costs in ecoinvent are global averages, i.e. independent of the country and of the specific technology, can highly affect the working hours calculated for an activity on their basis. It should be checked to what extend this influences final results. Additionally, besides the rather technical processes, there might be other ones that should not have social impacts at all (e.g. “operation, computer, desktop, with liquid crystal display, off mode | operation, computer, desktop, with liquid crystal display, off mode | APOS, U”) or at least, some indicators are

not convenient (e.g. “Human rights issues faced by indigenous peoples”).

Furthermore, social results of soca should be compared with other S-LCA databases (PSILCA and Social Hotspots Database (SHDB)). This is especially interesting because location structures and process connections differ between the databases. For example, while PSILCA and SHDB use Input/Output databases as their bases with monetary connections between the processes, flow properties in ecoinvent are technical. To do a comparison, specific criteria have to be defined in order to evaluate reliability and validity of results, but also comparability. Such a comparison of results is currently being carried out and will be provided soon.

Despite these weaknesses, soca is the first attempt to combine environmental, social and economic aspects in one single database. It is therefore a foundation for Life Cycle Sustainability Assessments.

5 References

Ciroth, Andreas; Eisfeldt, Franziska (2016): PSILCA – A Product Social Impact Life Cycle Assessment database, Database version 1.0, Documentation, Version 1.1, online available at http://openlca.org/wp-content/uploads/2016/08/PSILCA_documentation_v1.1.pdf (last access: 16.11.2016).

Norris, G.A. (2006): Social impacts in product life cycles – Towards life cycle attribute assessment. *International Journal of Life Cycle Assessment* 11 (1): 97-104

UNEP/SETAC Life Cycle Initiative (2009): Guidelines for social life cycle assessment of products, Authors: Andrews, E. S.; Barthel, L.-P.; Beck, T.; Benoit, C.; Ciroth, A.; Cucuzella, C.; Gensch, C.-O.; Hébert, J.; Lesage, P.; Manhart, A.; Mazeau, P.; Mazijn, B.; Methot, A.-L.; Moberg, A.; Norris, G.; Parent, J.; Prakash, S.; Reveret, J.-P.; Spillemaeckers, S.; Ugaya, C. M. L.; Valdivia, S.; Weidema, B., online available at www.unep.fr/scp/publications/details.asp?id=DTI/1164/PA (last access: 27.01.2017)